



CUSTOMGLASSPRODUCTS

Residential / Commercial SDL Profiles and Colors



Windows & Door | Grids

Table of Contents

SDL Profiles

Decralite® Composites

Aluminum

Wood

SDL Check Rail Profiles

Decralite® Composites

Aluminum

Decralite® SDL Colors



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145

Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids SDL Profiles



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145


Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

Flat Profile



"A" Dimension	"B" Dimension					
040	5/8	3/4		7/8" 1"	1-1/8"	1-1/4"
070	"	"		7/8" 1"	1-1/8"	1-1/4"
093	5/8	3/4		7/8" 1"	1-1/8"	1-1/4"
1/8"	"	"		7/8" 1"	1-1/8"	1-1/4"
3/16"	5/8	3/4		7/8" 1"	1-1/8"	1-1/4"
1/4"	"	"		7/8" 1"	1-1/8"	1-1/4"
3/8"	5/8	3/4		7/8" 1"	1-1/8"	1-1/4"

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is available in all dimensions.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights

5/8 3/4

" "



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145




Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

OG Profile



"A" Dimension	"B" Dimension					
	SMOG	SMOG				
1/8"	5/8"	3/4"	7/8"	1"	1-1/8"	1-1/4"
3/16"	5/8"	3/4"	7/8"	1"	1-1/8"	1-1/4"
7/32"	5/8"	3/4"	7/8"	1"	1-1/8"	1-1/4"
1/4"	5/8"	3/4"	7/8"	1"	1-1/8"	1-1/4"
3/8"	5/8"	3/4"	7/8"	1"	1-1/8"	1-1/4"

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is available in all dimensions.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

PTProfile



"A" Dimension	"B" Dimension				
1/8"	3/4	7/8	1"	1-1/8"	1-1/4"
3/16"	"	"	1"	1-1/8"	1-1/4"
1/4"	3/4	7/8	1"	1-1/8"	1-1/4"
3/8"	"	"	1"	1-1/8"	1-1/4"
	3/4	7/8			
	"	"			
	3/4	7/8			
	"	"			

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is not presently available.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

ST Profile



"A" Dimension	"B" Dimension				
1/8"	3/4	7/8	1"	1-1/8"	1-1/4"
3/16"	"	"	1"	1-1/8"	1-1/4"
1/4"	3/4	7/8	1"	1-1/8"	1-1/4"
3/8"	"	"	1"	1-1/8"	1-1/4"
	3/4	7/8			
	"	"			
	3/4	7/8			
	"	"			

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is available only in 3/16" thickness (Dimension A) for all widths.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products



P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145

Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cgpglass.com

Website: www.cgpglass.com

Decralite® SDL Grids MGProfile



"A" Dimension	"B" Dimension		
1/4"	1"	1-1/8"	1-1/4"

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimension.
- » **Coped-End** configuration is not presently available.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145


Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

MI Profile



"A" Dimension	"B" Dimension				
1/8"	3/4	7/8"	1"	1-1/8"	1-1/4"
3/16"	"	7/8"	1"	1-1/8"	1-1/4"
1/4"	3/4	7/8"	1"	1-1/8"	1-1/4"
3/8"	"	7/8"	1"	1-1/8"	1-1/4"

3/4

"

3/4

"

- » **[1/4" Thickness Available]**
- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is not presently available.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

KI Profile



"A" Dimension	"B" Dimension				
3/16"	3/4	7/8	1"	1-1/8"	1-1/4"
1/4"	"	"	1"	1-1/8"	1-1/4"
3/8"	3/4	7/8	1"	1-1/8"	1-1/4"
	"	"			
	3/4	7/8			
	"	"			

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is not presently available.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145


Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

EXProfile



"A" Dimension	"B" Dimension				
1/8"	3/4	7/8	1"	1-1/8"	1-1/4"
3/16"	"	"	1"	1-1/8"	1-1/4"
1/4"	3/4	7/8	1"	1-1/8"	1-1/4"
3/8"	"	"	1"	1-1/8"	1-1/4"
	3/4	7/8			
	"	"			
	3/4	7/8			
	"	"			

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is not presently available.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

FA Profile



"A" Dimension	"B" Dimension			
	7/8	1"	1-1/8"	1-1/4"
3/16"	7/8	1"	1-1/8"	1-1/4"
1/4"	"	1"	1-1/8"	1-1/4"
3/8"	7/8	1"	1-1/8"	1-1/4"

"

7/8

"

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is available 3/8" thickness (Dimension "A") for all widths.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

RC Profile



"A" Dimension	"B" Dimension		
1/4"	1"	1-1/8"	1-1/4"

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is available in all dimensions.
- » **Cut-N-Notch** configuration is available where highlighted.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

AL Profile



"A" Dimension	"B" Dimension		
1/4"	1"	1-1/8"	1-1/4"

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimension.
- » **Coped-End** configuration is presently not available
- » **Cut-N-Notch** configuration is available where highlighted.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

SBProfile



"A" Dimension	"B" Dimension				
3/16"	3/4	7/8	1"	1-1/8"	1-1/4"
1/4"	"	"	1"	1-1/8"	1-1/4"
	3/4	7/8			
	"	"			

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimension.
- » **Coped-End** configuration is available.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

CGProfile



"A" Dimension	"B" Dimension				
1/4"	3/4	7/8	1"	1-1/8"	1-1/4"
7/32"	"	"	1"	1-1/8"	1-1/4"
3/8"	3/4	7/8	1"	1-1/8"	1-1/4"
	"	"			
	3/4	7/8			
	"	"			

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimension.
- » **Coped-End** configuration is available only in 1/4" thickness (Dimension "A") for all widths.
- » **Cut-N-Notch** configuration is available where highlighted in green.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145


Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

XL Profile



"A" Dimension	"B" Dimension		
	1"	1-1/8"	1-1/4"

- » **Lineal Bars** available in all dimensions.
- » **One-Piece** configuration is available in all dimensions.
- » **Coped-End** configuration is not presently available.
- » **Cut-N-Notch** configuration is available where highlighted.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145

Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cgpglass.com

Website: www.cgpglass.com

Decralite® SDL Grids Check Rail Profile



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145


Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

Flat Check Rail Profile



"A" Dimension	"B" Dimension			
040	2"	2-3/8"	3"	3-1/2"
070	2"	2-3/8"	3"	3-1/2"
093	2"	2-3/8"	3"	3-1/2"
1/8"	2"	2-3/8"	3"	3-1/2"
3/16"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"
3/8"	2"	2-3/8"	3"	3-1/2"

- » **Lineal Bars** available in all dimensions.
- » **Coped-End** configuration is available in all dimensions.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

OG Check Rail Profile



"A" Dimension	"B" Dimension			
1/8"	2"	2-3/8"	3"	3-1/2"
3/16"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"

» **Lineal Bars** available in all dimensions.

» Cut to size available.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

PT Check Rail Profile



"A" Dimension	"B" Dimension			
1/8"	2"	2-3/8"	3"	3-1/2"
3/16"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"

» **Lineal Bars** available in all dimensions.

» Cut to size available.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

MI Check Rail Profile



"A" Dimension	"B" Dimension			
1/8"	2"	2-3/8"	3"	3-1/2"
3/16"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"

» **Lineal Bars** available in all dimensions.

» Cut to size available.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

TD Check Rail Profile



"A" Dimension	"B" Dimension			
	2"	2-3/8"	3"	3-1/2"
3/16"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"

» **Lineal Bars** available in all dimensions.

» Cut to size available.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145


Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

TR Check Rail Profile



"A" Dimension	"B" Dimension			
	2"	2-3/8"	3"	3-1/2"
3/16"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"

» **Lineal Bars** available in all dimensions.

» Cut to size available.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products

P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145



Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids

TL Check Rail Profile



"A" Dimension	"B" Dimension			
3/16"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"

» **Lineal Bars** available in all dimensions.

» Cut to size available.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products


P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145

Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids WX Check Rail Profile



"A" Dimension	"B" Dimension			
3/16"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"

» **Lineal Bars** available in all dimensions.

» Cut to size available.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights



CUSTOMGLASSPRODUCTS

Custom Glass Products


P.O. Box 2049 | 1475 Harrison Rd. | Salisbury, NC 28145

Phone: (704) 633.8444 | Fax: (704) 638.2666

Email: sales@cpgpglass.com

Website: www.cpgpglass.com

Decralite® SDL Grids - Aluminum Flat Check Rail Profile



"A" Dimension	"B" Dimension			
1/8"	2"	2-3/8"	3"	3-1/2"
1/4"	2"	2-3/8"	3"	3-1/2"

» **Special Order Only, Not a Stock Item.**

» **Lineal Bars** available in all dimensions.

SPECIFICATION: AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights